Innovative Leader in Cataract Surgery

CATARACT SURGERY PRE-OP INSTRUCTIONS

1. ARRIVE AT THE OFFICE OF YOUNG HICHOLIMID

eye on	at	

- 2. YOUR SURGERY WILL BE AT ANOTHER LOCATION AFTER YOUR OFFICE EXAMINATION.
- 3. START EYE MEDICATIONS in the operative eye. Wait at least 5 minutes between different eye drops. Use these drops only in the eye you are having surgery on at this time.

OFLOXACIN

1 drop 4 times a day beginning three days before surgery,

and then 2 times the morning of surgery

KETOROLAC

1 drop 4 times a day beginning three days before surgery,

and then 2 times the morning of surgery

- **4. KEEP CONTACT LENSES OUT** before examination and surgery (1 week for soft contact lenses & 3 weeks for toric or gas-perm contact lenses).
- 5. EAT A LIGHT BREAKFAST the morning of surgery. You may have one piece of dry toast and one cup of black coffee, tea, or 7-up. DO NOT use any dairy products, cream in coffee, or butter on toast the morning of surgery. DO NOT eat or drink anything after 6:00 A.M.
- 6. TAKE YOUR REGULAR MEDICATIONS with a *sip of water* early the morning of surgery; except, *DO NOT* take your <u>insulin</u> or <u>diabetes pill</u> the morning of surgery if you have diabetes. *DO NOT* take <u>FLOMAX</u>, <u>AVODART</u>, or other prostate medication two weeks prior to your cataract surgery. Bring all medications or a list of your medications with you to the office and surgery center.
- 7. PLEASE BATHE OR SHOWER the morning of surgery. DO NOT apply lotion or powder.
- 8. DO NOT APPLY MAKE-UP the morning of surgery.
- 9. LEAVE JEWELRY AND VALUABLES AT HOME
- 10. WEAR LOOSE, COMFORTABLE CLOTHES. A short-sleeve shirt that buttons down the front.
- 11. BRING ALL CURRENT INSURANCE CARDS to the office and surgery center.
- 12. A RESPONSIBLE ADULT MUST BE WITH YOU AT SURGERY and stay with you for 24 hours.
- 13. YOUR EYE DOCTOR WILL SEE YOU THE DAY AFTER SURGERY. You will receive the appointment time in the recovery room after surgery.
- 14. CALL OUR OFFICE if you have any questions at 205.879.2221 or 800.457.2394.

Young H. Choi, M.D.

CATARACT SURGERY POST-OP INSTRUCTIONS

Innovative Leader in Cataract Surgery

P	ATIENT				
1.	1. APPOINTMENT TOMORROW with Dr at at				
2.	START MEDICATIONS <u>TODAY</u> in the operative eye. Continue other routine medications. Wait at least 5 minutes between different eye drops. TAKE YOUR EYE MEDICATIONS with you to post-op examinations. Your doctor may change this medication regimen at your examination.				
	OFLOXACIN	1 drop 4 times a day for 1 week			
	KETOROLAC	1 drop 4 times a day for 2 weeks, then 1 drop 2 times a day for 2 weeks			
	PRED ACETATE	1 drop 4 times a day for 2 week, then 1 drop 2 times a day for 2 weeks			
	TEARS	1 drop as needed for scratchy sensation			
3	WEAR EVE SHIELD taned in place while asleen for 1 week				

- 4. DO NOT RUB OR BUMP YOUR EYE!
- 5. BLURRED VISION SHOULD BE EXPECTED immediately after surgery and usually begins to clear in a few days. New glasses can be obtained from your optometrist when the eye is stable.
- 6. MINOR DISCOMFORT IS NORMAL and should improve in a few days. Scratchy sensation, mild redness, and tearing may be noticed. Tylenol, Motrin, or Advil may be taken as needed for pain.
- 7. USE YOUR EYE. Visual tasks such as reading or watching TV will not harm the eye. You may wear either your regular glasses or your sunglasses as you desire.
- 8. RESUME YOUR REGULAR DIET AND ROUTINE MEDICATIONS.
- 9. RESUME YOUR PHYSICAL ACTIVITIES. Strenuous activities and lifting items over 20 pounds should be avoided for 1 week. Ask your doctor when you may resume driving.
- 10. YOU MAY BATHE AND SHAMPOO YOUR HAIR the day after surgery. DO NOT get soap or shampoo in your eye. DO NOT use eye make-up for 1 week.
- 11. CALL OUR OFFICE IMMEDIATELY if you have severe pain or significant loss of vision at 205.879.2221 or 800.457.2394.

- YOUNG. H CHOI. M.D.